

SPECIFICATION SHEET # 3021, PREMIUM HEART PINE T&G FLOORING
September 19th, 2005

1. Species

Southern Yellow Pine/Heart Pine

2. Source

Various industrial salvage projects

3. Knots

1 tight knot (1" or under) per two square foot allowed; larger knots is lower frequency allowed; 2" maximum knot size; some knots are broken, loose or fallen out

4. Nail/Bolt holes

Few random nail holes; no bolt holes. Nail holes commonly have some stain surrounding the hole.

5. Checks/Cracks

Moderate surface checking; no cracking

6. Percentage Heartwood

90% (taken collectively)

7. Grain pattern

Tight grain: vertical, flat or mixed

8. Standard Dimensions

a) Thickness: 3/4"; b) Width: 3", 5", 7" and 8.5"; c) Length: 2 to 10' with no more than 5% of footage to be less than 4'.

9. Textures Available

Smooth and Circle-Sawn

10. Other

Characteristics apply to the flooring board's finished face.